



Editing

^ Space	Basic code completion (the name of any class, method or variable)
^ \ Space	Class name completion (the name of any project class independently of current imports)
⌘ ⇧ ↵	Complete statement
⌘ P	Parameter info (within method call arguments)
^ J or Mid. button click	Quick documentation lookup
⇧ F1	External Doc
⌘ + mouse over code	Brief Info
⌘ F1	Show descriptions of error or warning at caret
^ ↵, ^ N	Generate code...
⌘ O	Override methods
⌘ \ T	Surround with...
⌘ /	Comment/uncomment with line comment
⌘ ⇧ /	Comment/uncomment with block comment
⌘ W	Select successively increasing code blocks
⌘ ⇧ W	Decrease current selection to previous state
\ ↵	Show intention actions and quick-fixes
⌘ \ L	Reformat code
⌘ \ O	Optimize imports
⌘ \ I	Auto-indent line(s)
⇧ ↵, ⇧ ↵ ↵	Indent/unindent selected lines
⌘ X	Cut current line or selected block to clipboard
⌘ C	Copy current line or selected block to clipboard
⌘ V	Paste from clipboard
⌘ ⇧ V	Paste from recent buffers...
⌘ D	Duplicate current line or selected block
⌘ Y	Delete line at caret
^ ⇧ J	Smart line join
⌘ ↵	Smart line split
⇧ ↵	Start new line
⌘ ⇧ U	Toggle case for word at caret or selected block
\ ⌘	Delete to word end
\ ⌘	Delete to word start
⌘ +, ⌘ -	Expand/collapse code block
⌘ ⇧ +	Expand all
⌘ ⇧ -	Collapse all
⌘ F4	Close active editor tab

Search/Replace

⌘ F	Find
F3, ⇧ F3	Find next/ previous
⌘ R	Replace
^ ⇧ F	Find in path
^ ⇧ R	Replace in path

Usage Search

\ F7 / ⌘ F7	Find usages / Find usages in file
⌘ ⇧ F7	Highlight usages in file
⌘ \ F7	Show usages



Running

\ ⇧ F10	Select configuration and run
\ ⇧ F9	Select configuration and debug
⇧ F10	Run
⇧ F9	Debug
^ ⇧ F10, ^ ⇧ F9	Run context configuration from editor
\ R	Run manage.py task

Debugging

F8	Step over
F7	Step into
⇧ F8	Step out
\ F9	Run to cursor
\ F8	Evaluate expression
⌘ \ F8	Quick evaluate expression
F9	Resume program
⌘ F8	Toggle breakpoint
⌘ ⇧ F8	View breakpoints

Navigation

⌘ N	Go to class
⌘ ⇧ N	Go to file
⌘ \ ⇧ N	Go to symbol
^ ←, ^ →	Go to next/previous editor tab
F12	Go back to previous tool window
⌘	Go to editor (from tool window)
⇧ ⌘	Hide active or last active window
⌘ ⇧ F4	Close active run/messages/find/... tab
⌘ G	Go to line
⌘ E	Recent files popup
⌘ \ ←, ⌘ \ →	Navigate back/forward
⌘ ⇧ ⌘	Navigate to last edit location
\ F1	Select current file or symbol in any view
⌘ B or ⌘ Click	Go to declaration
⌘ \ B	Go to implementation(s)
⌘ ⇧ I	Open quick definition lookup
^ ⇧ B	Go to type declaration
⌘ U	Go to super-method/super-class
^ ↑, ^ ↓	Go to previous/next method
⌘ ], ⌘ [	Move to code block end/start
⌘ F12	File structure popup
^ H	Type hierarchy
⌘ ⇧ H	Method hierarchy
^ \ H	Call hierarchy
F2, ⇧ F2	Next/previous highlighted error
F4 / ⌘ ↵	Edit source / View source
\ Home	Show navigation bar
F11	Toggle bookmark
⌘ F11	Toggle bookmark with mnemonic
^ 0 ... ^ 9	Go to numbered bookmark
⇧ F11	Show bookmarks



Refactoring

F5	Copy
F6	Move
⌘ Delete	Safe Delete
⇧ F6	Rename
⌘ F6	Change Signature
⌘ \ N	Inline
⌘ \ M	Extract Method
⌘ \ V	Introduce Variable
⌘ \ F	Introduce Field
⌘ \ C	Introduce Constant
⌘ \ P	Introduce Parameter

VCS/Local History

⌘ K	Commit project to VCS
⌘ T	Update project from VCS
\ ⇧ C	View recent changes
^ V	'VCS' quick popup

Live Templates

⌘ \ J	Surround with Live Template
⌘ J	Insert Live Template

General

⌘ 0 ... ⌘ 9	Open corresponding tool window
⌘ S	Save all
⌘ \ Y	Synchronize
⌘ ⇧ F12	Toggle maximizing editor
\ ⇧ F	Add to Favorites
\ ⇧ I	Inspect current file with current profile
⌘ \$ or ⌘ `	Quick switch current scheme
⌘ ,	Open Settings dialog
⇧ ⌘ A	Find Action
^ →	Switch between tabs and tool window

To find any action inside the IDE  
use Find Action (⇧ ⌘ A)

⌘	Command	⌘	Backspace
\	Option / Alt	⌘	Delete
^	Control	⌘	Escape
⇧	Shift	↵	Enter / Return
← ↑ → ↓	Arrow Keys	→	Tab

Editing

^ Space	Basic code completion (the name of any class, method or variable)
^ \ Space	Class name completion (the name of any project class independently of current imports)
⌘ ⇧ ↵	Complete statement
⌘ P	Parameter info (within method call arguments)
^ J or Mid. button click	Quick documentation lookup
⇧ F1	External Doc
⌘ + mouse over code	Brief Info
⌘ F1	Show descriptions of error or warning at caret
^ ↵, ^ N, ⌘ N	Generate code...
⌘ O	Override methods
⌘ \ T	Surround with...
⌘ /	Comment/uncomment with line comment
⌘ ⇧ /	Comment/uncomment with block comment
\ ↑	Select successively increasing code blocks
\ ↓	Decrease current selection to previous state
\ ↵	Show intention actions and quick-fixes
⌘ \ L	Reformat code
⌘ \ O	Optimize imports
⌘ \ I	Auto-indent line(s)
⇧ ↵, ⇧ ↵ ↵	Indent/unindent selected lines
⌘ X	Cut current line or selected block to clipboard
⌘ C	Copy current line or selected block to clipboard
⌘ V	Paste from clipboard
⌘ ⇧ V	Paste from recent buffers...
⌘ D	Duplicate current line or selected block
⌘ ⌘	Delete line at caret
⇧ ⇧ J	Smart line join
⌘ ↵	Smart line split
⇧ ↵	Start new line
⌘ ⇧ U	Toggle case for word at caret or selected block
\ ⌘	Delete to word end
\ ⌘	Delete to word start
⌘ +, ⌘ -	Expand/collapse code block
⌘ ⇧ +	Expand all
⌘ ⇧ -	Collapse all
⌘ W	Close active editor tab

Search/Replace

⌘ F	Find
⌘ G, ⌘ ⇧ G	Find next/previous
⌘ R	Replace
⌘ ⇧ F	Find in path
⌘ ⇧ R	Replace in path

Usage Search

\ F7 / ⌘ F7	Find usages / Find usages in file
⌘ ⇧ F7	Highlight usages in file
⌘ \ F7	Show usages

Running

^ \ R	Select configuration and run
^ \ D	Select configuration and debug
^ R	Run
^ D	Debug
⇧ ⇧ R, ⇧ ⇧ D	Run context configuration from editor
\ R	Run manage.py task

Debugging

F8	Step over
F7	Step into
⇧ F8	Step out
\ F9	Run to cursor
\ F8	Evaluate expression
⌘ \ F8	Quick evaluate expression
F9	Resume program
⌘ F8	Toggle breakpoint
⌘ ⇧ F8	View breakpoints

Navigation

⌘ O	Go to class
⌘ ⇧ O	Go to file
⌘ \ O	Go to symbol
^ ←, ^ →	Go to next/previous editor tab
F12	Go back to previous tool window
⌘	Go to editor (from tool window)
⇧ ⌘	Hide active or last active window
⌘ ⇧ F4	Close active run/messages/find/... tab
⌘ L	Go to line
⌘ E	Recent files popup
⌘ \ ←, ⌘ \ →	Navigate back/forward
⌘ ⇧ ⌘	Navigate to last edit location
\ F1	Select current file or symbol in any view
⌘ B or ⌘ Click	Go to declaration
⌘ \ B	Go to implementation(s)
\ Space, ⌘ Y	Open quick definition lookup
⇧ ⇧ B	Go to type declaration
⌘ U	Go to super-method/super-class
^ ↑, ^ ↓	Go to previous/next method
⌘ ], ⌘ [	Move to code block end/start
⌘ F12	File structure popup
^ H	Type hierarchy
⌘ ⇧ H	Method hierarchy
^ \ H	Call hierarchy
F2, ⇧ F2	Next/previous highlighted error
F4 / ⌘ ↓	Edit source / View source
\ Home	Show navigation bar
F3	Toggle bookmark
\ F3	Toggle bookmark with mnemonic
^ O ... ^ 9	Go to numbered bookmark
⌘ F3	Show bookmarks

Refactoring

F5	Copy
F6	Move
⌘ Delete	Safe Delete
⇧ F6	Rename
⌘ F6	Change Signature
⌘ \ N	Inline
⌘ \ M	Extract Method
⌘ \ V	Introduce Variable
⌘ \ F	Introduce Field
⌘ \ C	Introduce Constant
⌘ \ P	Introduce Parameter

VCS/Local History

⌘ K	Commit project to VCS
⌘ T	Update project from VCS
\ ⇧ C	View recent changes
^ V	'VCS' quick popup

Live Templates

⌘ \ J	Surround with Live Template
⌘ J	Insert Live Template

General

⌘ O ... ⌘ 9	Open corresponding tool window
⌘ S	Save all
⌘ \ Y	Synchronize
⌘ ⇧ F12	Toggle maximizing editor
\ ⇧ F	Add to Favorites
\ ⇧ I	Inspect current file with current profile
^ \$ or ^ `	Quick switch current scheme
⌘ ,	Open Settings dialog
⇧ ⌘ A	Find Action
^ →	Switch between tabs and tool window

To find any action inside the IDE  
use Find Action (⇧ ⌘ A)

⌘	Command	⌘	Backspace
\	Option / Alt	⌘	Delete
^	Control	⌘	Escape
⇧	Shift	↵	Enter / Return
← ↑ → ↓	Arrow Keys	→	Tab

## Why 2 keymaps for Mac OS X?

If you are using PyCharm only on Mac OS, we recommend choosing the schema named “Mac OS X 10.5+”. The default “Mac OS X” schema is recommended if you use PyCharm on other platforms too as the bindings are more alike to the default Windows/Linux schema.

You can choose and/or modify the keyboard schema in **IDE Settings | Keymap** section

PyCharm Team