

Auto-Completion

Auto-completion makes template editing much faster. Loomy extends this feature introducing lot's of Tapestry specific completions.

This section covers the following features:


- [Component Tags Auto-Completion](#)
- [Component Parameters Auto-Completion](#)
- [Parameters Values Auto-completion](#)

Component tags auto-completion

When editing your template you can take advantage of the auto-completion feature to help you insert a component using both types of possible annotations for that:


- **Invisible Instrumentation**

Just use the auto-completion feature on the `t:type` attribute value.



- **Component Tag**

Just use the auto-completion feature on the tag name where you want to insert the component.



Component parameters auto-completion

Component tags have additional parameters that don't conform to the HTML standard and so the default auto-completion won't help you. This plugin extends the auto-completion feature adding the Tapestry component parameters to the list of possible tag parameters.

```
<t:pagelink |>Link to home</t:pagelink>
```

context
height
page
src
type
width
wmode

Parameters values auto-completion

Auto-completion of property binding is available so you can save lot's of time navigating from template to class.

- Page parameter of the PageLink component

```
<t:pagelink page="">Link to home</t:pagelink>
```

ExceptionReport
home
page1
page2
page3
PropertyDisplayBlocks
PropertyEditBlocks

- Boolean parameters

```
<t:actionlink disabled=""></t:actionlink>
```

bool
clientValidation
hasErrors
hasSession
literal:false
literal:true
reorder
showPropertyList

- Simple properties

```
<t:actionlink context=""></t:actionlink>
```

columnNames
propertyNames
stack

- Composed properties

□