

Code Style. YAML

File | Settings | Project Settings | Code Style - YAML



Use this page to configure [formatting](#) options for YAML files. View the result in the **Preview** pane on the right.

On this page:

- [Tabs and Indents](#)
- [Set From](#)

Tabs and Indents

| Item | Description |
|-------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Use tab character | <ul style="list-style-type: none">■ If this check box is selected, tab characters are used:<ul style="list-style-type: none">■ On pressing the Tab key■ For indentation■ For code reformatting■ When the check box is cleared, IntelliJ IDEA uses spaces instead of tabs. |
| Indent | In this text box, specify the number of spaces (or tabs if the Use Tab Character check box is selected) to be inserted for each indent level. |

Set From

Click this link to reveal the list of languages to be used as the base for the current language code style. So doing, only the settings that are applicable to the current language are taken. All the other settings are not affected.

This link appears in the upper-right corner of the language-specific code style page, when applicable.

Click **Reset** to discard changes and return to the initial set of code style settings.

See Also

Language and Framework-Specific Guidelines:

- [Markup Languages and Style Sheets](#)

External Links:

- [YAML](#)

Web Resources:

- [Developer Community](#)