

Ctrl+Alt

This section lists and describes the keyboard shortcuts that include the Ctrl+Alt keys:

- [Ctrl+Alt+Alphanumeric key](#)
- [Ctrl+Alt+Navigation key](#)
- [Ctrl+Alt+F key](#)

Ctrl+alt+alphanumeric keys

Shortcut	Function	Use this shortcut to...
Ctrl+Alt+B or Ctrl+Alt+Button1 Click	Navigate to Implementation	Navigate to implementation of an item at the caret.
Ctrl+Alt+C	Extract Constant	Replace selected expression with a constant (static final field) (Refactoring).
Ctrl+Alt+F	Extract Field	Put a selected expression result into a field (Refactoring).
Ctrl+Alt+G	Run Grails target	Execute Grails target with the specified target name.
Ctrl+Alt+H	Call Hierarchy	Browse call hierarchy for the selected method.
Ctrl+Alt+I	Auto-indent Lines	Indent current line or selected block according to the Code Style Settings.
Ctrl+Alt+J	Surround with Live Template	Surround the selection with one of the Live Templates.
Ctrl+Alt+M	Extract Method	Create a method from the selected code (Refactoring).
Ctrl+Alt+N	Inline	Inline a selected method/variable (Refactoring).
Ctrl+Alt+P	Extract Parameter	Turn a selected expression into a method parameter (Refactoring).
Ctrl+Alt+T	Surround with	Surround selected code fragment with if, while, try/catch, or another construct.
Ctrl+Alt+V	Extract Variable	Put selected expression result into a variable (Refactoring).
Ctrl+Alt+Y	Synchronize	Detect all externally changed files and reload them from disk.

Ctrl+alt+navigation keys

Shortcut	Function	Use this shortcut to...
Ctrl+Alt+Enter	Start new	Start a new line before the current one.

	line before current one	
Ctrl+Alt+Down Ctrl+Alt+Up	Navigate to Next/Previous Occurrence	Navigate to a next found item .
Ctrl+Alt+Left or Button4 Click	Back	Undo last navigation operation. On a Mac OS X computer, you can also use the three-finger right-to-left swipe gesture.
Ctrl+Alt+Right or Button5 Click	Forward	Redo last undone navigation operation. On a Mac OS X computer, you can also use the three-finger left-to-right swipe gesture.
Ctrl+Alt+Home	Navigate to Related File	Navigates between files with the various relationships. See Navigation in Source Code .

Ctrl+Alt+Function (F) key

Shortcut	Function	Use this shortcut to...
Ctrl+Alt+F6	Switch to another coverage suite.	Open the Coverage Suites popu-up window and select the desired suite to run.
Ctrl+Alt+F7	Show usages	Show usages of a symbol at the caret.
Ctrl+Alt+F8 or Alt+Button1 Click	Quick Evaluate Expression	Evaluate an arbitrary expression without calling Evaluate Expression dialog box.
Ctrl+Alt+F9	Force Run To Cursor	Run to the line where the caret is located, ignoring breakpoints.

See Also

Procedures:

- [Advanced Editing Procedures](#)
- [Navigating Through the Source Code](#)
- [Configuring Keyboard Shortcuts](#)

Reference:

- [Keymap](#)

Getting Started:

- [Navigating Through the Source Code](#)
- [Familiarize Yourself with IntelliJ IDEA Editor](#)

Web Resources:

- [Developer Community](#) □