

Ctrl

This section lists and describes the keyboard shortcuts that include the Ctrl key:

- [Ctrl+Alphanumeric key](#)
- [Ctrl+Navigation key](#)
- [Ctrl+Symbol](#)
- [Ctrl+Numeric pad](#)
- [Ctrl+F key](#)

Ctrl+alphanumeric keys

| Shortcut | Function | Use this shortcut to... |
|---|------------------------------------|---|
| Ctrl+A | Select All | Select the entire text in the active editor. |
| Ctrl+B, Ctrl+Button1 Click or Button2 Click | Navigate to Declaration | Navigate directly to an element's declaration from any usage. |
| Ctrl+C or Ctrl+Insert | Copy | Copy selected text to the Clipboard. |
| Ctrl+D | Duplicate Line or Block | Duplicate selected block or line at caret. |
| Ctrl+E | Recent Files Recent find usages | Show the list of recently opened files . When the Find tool window has the focus, use this shortcut to show the list of recent find usages results . |
| Ctrl+F or Alt+F3 | Find | Initiate text search in the editor. |
| Ctrl+G | Navigate to Line | Navigate the to a line with the specified number in the current file. |
| Ctrl+H | Type Hierarchy | Browse hierarchy for the selected class. |
| Ctrl+I | Implement Methods | Implement methods of the base interface/class in the current class. |
| Ctrl+J | Insert Live Template | Show a pop-up list of Live Templates starting with a specified prefix. |
| Ctrl+M | Scroll to Center | Scroll a line at caret to the center of the screen. |
| Ctrl+N | Navigate to Class | Jump to a class in the project with the specified name. |
| Ctrl+O | Override Methods | Override base class methods in the current class. |
| Ctrl+P | Parameter Info | Show parameters of the method call at the caret. |

| Shortcut | Function | Use this shortcut to... |
|---|--------------------------|---|
| Ctrl+Q or Alt+Button2 Click Alt+Mouse Button2 | Quick documentation | Show a pop-up window with documentation for the symbol at the caret. |
| Ctrl+Q or Alt+Button2 Click | Show Table Data | In the Database tool window : show a pop-up window that displays the create table query for the database table at the caret and the first 10 rows of the table. |
| Ctrl+R | Replace | Call the Replace Text dialog box. |
| Ctrl+S | Save All | Save all files and settings. |
| Ctrl+U | Navigate to Super Method | Navigate to a super method declaration of a method at caret In the Commander tool window : swap panes. |
| Ctrl+V or Shift+Insert | Paste | Paste from the Clipboard. |
| Ctrl+W | Select Word at Caret | Successively select expanding blocks of text, starting from the word at caret. (Use this shortcut repeatedly to select expressions.) |
| Ctrl+X or Shift+Delete | Cut | Cut to the Clipboard. |
| Ctrl+Y | Delete Line at Caret | Delete a word starting from the current caret location up to the end of word. |
| Ctrl+Z or Alt+Backspace | Undo | Undo last operation. |
| Ctrl+Shift+Z or Shift+Alt+Backspace | Redo | Redo last undone operation. |
| Ctrl+Number | Navigate to bookmark | Navigate to a numbered bookmark with corresponding number. |

Ctrl+navigation keys

| Shortcut | Function | Use this shortcut to... |
|-------------------------------|----------------------|--|
| Ctrl+Tab or Ctrl+Shift+Tab | Switcher | Navigate between the files opened in the editor, and tool windows. |
| Ctrl+Backspace | Delete to Word Start | Delete a word starting from the current caret location up to the word start. |
| Ctrl+Delete | Delete to Word End | Delete a word starting from the current caret location up to the word end. |
| Ctrl+End | Move to Text End | Move the caret to the end of text. |

| Shortcut | Function | Use this shortcut to... |
|--------------------------|-------------------------|---|
| Ctrl+Enter | Split Line or Open Item | Depending on the context: <ul style="list-style-type: none"> ■ In the editor: Intelligently split the current line into 2 lines, shifting quotes, etc. as necessary. ■ In Tool Windows: Open an Editor tab or tabs for the selected item or items, respectively. ■ On the context menus of the modules in the Project tool window, Dependency Viewer, and Module Dependencies tool window: open the Modules structure. |
| Ctrl+Home | Move to Text Start | Jump to the beginning of the text. |
| Ctrl+C or Ctrl+Insert | Copy | Copy a current line or a selected code block to the Clipboard. |
| Ctrl+Space | Basic Code Completion | Complete code for any class, method or variable. |
| Ctrl+Page Down | Navigate to Page Bottom | Move the caret down to the page bottom. |
| Ctrl+Page Up | Navigate to Page Top | Move the caret up to the page top. |
| Ctrl+Down | Scroll Down | Move line at caret one down, preserving syntactical correctness. |
| Ctrl+Left | Move to Previous Word | Move the caret to the previous word. |
| Ctrl+Right | Move to Next Word | Move the caret to the next word. |
| Ctrl+Up Ctrl+Shift+Up | Scroll Up: | Move line at caret one up, preserving syntactical correctness. |

Ctrl+symbol keys

| Shortcut | Function | Use this shortcut to... |
|--------------------|--------------------------|---|
| Ctrl+Open Bracket | Move to Code Block Start | Move the caret to the beginning of the current code block, highlighting its limits. |
| Ctrl+Close Bracket | Move to Code Block End | Move the caret to the end of the current code block, highlighting its limits. |

| Shortcut | Function | Use this shortcut to... |
|--|---------------------------------|--|
| Ctrl+Slash or Ctrl+NumPad / Ctrl+Numpad/ | Comment with Line Comment | Comment/uncomment current line or selected block with line comments. |
| Ctrl+= Ctrl+NumPad+ or Ctrl+Equals | Expand All | Expand all folding blocks. |
| Ctrl+NumPad - or Ctrl+Minus | Collapse All | Collapse all folding blocks. |

Ctrl+numpad keys

| Shortcut | Function | Use this shortcut to... |
|--|---------------------------------|--|
| Ctrl+Numpad/ Ctrl+Slash or Ctrl+NumPad / Ctrl+Numpad/ | Comment with Line Comment | Comment/uncomment current line or selected block with line comments. |
| Ctrl+NumPad+ or Ctrl+Equals Ctrl+= | Expand All | Expand all folding blocks. |
| Ctrl+NumPad - or Ctrl+Minus | Collapse All | Collapse all folding blocks. |

Ctrl+Function (F) keys

| Shortcut | Function | Use this shortcut to... |
|----------|-------------------------------|---|
| Ctrl+F1 | Error Description | Show an error or warning description at the caret. |
| Ctrl+F3 | Find Word at Caret | Search in the editor for the word where the caret is currently located. |
| Ctrl+F6 | Change Method Signature | Refactor a selected method signature and update all references. |
| Ctrl+F7 | Find Usages in File | Initiate search for usages . |
| Ctrl+F8 | Toggle Breakpoint | Toggle breakpoint at caret. |

| Shortcut | Function | Use this shortcut to... |
|----------|--------------------------------|---|
| Ctrl+F9 | Make Project | Compile all modified and dependent files in a project. |
| Ctrl+F11 | Toggle Bookmark with mnemonic. | Turn bookmark with mnemonic on or off. |
| Ctrl+F12 | File Structure Pop-up | Show the current file structure in the File Structure pop-up window for quick navigation. |

See Also

Procedures:

- [Advanced Editing Procedures](#)
- [Navigating Through the Source Code](#)
- [Configuring Keyboard Shortcuts](#)

Reference:

- [Keymap](#)

Getting Started:

- [Navigating Through the Source Code](#)
- [Familiarize Yourself with IntelliJ IDEA Editor](#)

Web Resources:

- [Developer Community](#) 