

Debugger. JavaScript

File | Settings | IDE Settings | Debugger | JavaScript



Use this page to configure JavaScript debug options.

Item	Description
Built-in server port	Use this spin box to specify the number of the port where the built-in web server runs. By default this port is set to the default IntelliJ IDEA port through which IntelliJ IDEA accepts connections from services.
Can accept external connections	If this check box is selected, then the files launched on the built-in server running on the specified port, are accessible from a different computer.
Value tooltip delay (ms)	Define the delay in milliseconds between the moment when the mouse pointer hovers over an object in editor, and the moment when a tooltip with the object's value is displayed.
Show DOM properties	This setting is applicable for debugging in Firefox. When debugging in Chrome, DOM structure and properties are shown in a dedicated Elements tab, see Viewing Actual HTML DOM . <ul style="list-style-type: none">■ When this check box is selected, DOM properties are displayed in the Variables pane of the Debug tool window.■ When this check box is cleared, DOM properties are hidden.
Show function values	<ul style="list-style-type: none">■ When this check box is selected, IntelliJ IDEA displays the values of functions listed under the Functions node in the Variables pane. Depending on the status of the Show only user-defined functions check box, IntelliJ IDEA displays values either for all functions or only for user-defined ones.■ When the check box is cleared, values of functions are hidden.
Show only user-defined functions	The check box is available only when the Show function values check box is selected, otherwise it is irrelevant. <ul style="list-style-type: none">■ When the check box is cleared, IntelliJ IDEA displays values of all functions, both user-defined and inherited.■ When the check box is selected, values for user-defined functions are displayed only, inherited functions are just listed.
Show the following properties for an object node	Select this check box if you want IntelliJ IDEA to show certain object node properties and configure a list of the properties to display. For each object node in the Variables pane, IntelliJ IDEA will display a label with the values of the listed properties. Use + (Alt+Insert) and - (Alt+Delete) to add and remove the properties.
Do not step into scripts	Select this check box to suppress stepping into certain scripts while debugging. Use + (Alt+Insert) and - (Alt+Delete) to add and remove the scripts to be skipped.

See Also

Concepts:

- [Running, Debugging and Testing](#)
- [Types of Breakpoints](#)

Procedures:

- [Debugging](#)

Reference:

- [Debug Tool Window](#)

Web Resources:

- [Developer Community](#) 