

Import Into CVS

VCS | Import into CVS

Use this dialog to import a directory into the specified CVS repository.

Select CVS configuration

Use this page to select the target CVS root and [change its configuration](#), if necessary.

Select directory to import to

Use this page to select the target directory.

Select import directory

Use this page to select the directory to be imported. If you are importing an IntelliJ IDEA project, make sure that the project file is located under that directory. Multiple selection is not available.

Customize keyboard substitution

Use this page to specify the [keyword substitution rule](#) for the files imported into the repository.

Import settings

Item	Description
Name in repository	<p>In this field, specify the name that corresponds to the <code>module</code> argument.</p> <div style="border: 1px solid black; padding: 5px;"><p>For import, <code>module</code> refers to the absolute location in the repository, not to a module name defined in the modules file.</p></div>
Vendor	<p>In this field, specify the name that corresponds to the <code>vendor-tag</code> argument. This tag is used as a branch tag. No checkouts will ever be done explicitly on it. Type a name that is relevant to the project, or just <code>VENDOR</code>.</p>
Release tag	<p>In this text box, specify the string that corresponds to the <code>release-tag</code> argument. The tag should refer to a version or a release number.</p> <div style="border: 1px solid black; padding: 5px;"><p>A tag name cannot contain punctuation marks. For example: <code>-release-2.2</code> is wrong <code>release-2-2</code> is correct.</p></div>
Log message	<p>In this field, specify the string that corresponds to the <code>-m</code> command-line argument. By default, the field shows the previous log message; you can accept default, or type a new comment.</p>
Checkout after import	<p>Select this option to have CVS checkout run after completing the import operation.</p>
Make checked out files read-only	<p>Select this option to mark the checked out files as read-only after import. This option is disabled if the Checkout after import option is cleared.</p>

See Also

Procedures:

- [Importing a Local Directory to CVS Repository](#)
- [Configuring CVS Roots](#)
- [Configuring Global CVS Settings](#)

Web Resources:

- [Developer Community](#) 