

JSF Facet Page

File | Project Structure | Modules - module - JSF facet



Use this page to configure the JSF [facet](#) settings.

Note that you can download the JSF component libraries such as ICEfaces, OpenFaces, PrimeFaces and RichFaces by "adding" the corresponding facets to a JSF facet.

Item	Description
Facelets support	<p>Select the required Facelets support option.</p> <div data-bbox="379 551 1396 680" style="border: 1px solid #ccc; padding: 5px; margin: 10px 0;"><p>This is the project-level setting. The selected option is set for all modules in the current project.</p></div> <ul style="list-style-type: none">■ Auto. Automatic Facelets detection. The XHTML files are treated as Facelets or ordinary XHTML files depending on whether the module has a JSF facet or not. In the modules that have a JSF facet, all XHTML files are considered Facelets. If a module does not have a JSF facet, all XHTML files in it are treated as ordinary XHTML files.■ Enabled. All XHTML files in the project are treated as Facelets.■ Disabled. All XHTML files in the project are considered not to be Facelets and are treated as ordinary XHTML files.

See Also

Procedures:

- [Preparing for JSF Application Development](#)
- [JavaServer Faces \(JSF\)](#)

Reference:

- [Facets](#)

Web Resources:

- [Developer Community](#)