


Message Destination References

[Web Tool Window](#) | [Context Menu of a Web module](#) | [Jump To Source](#) | [Assembly Descriptor References](#)

In this pane, define the `<message-destination-ref>` element that specifies the name of a logical message destination defined within a Web application.

Based on the settings you specify, IntelliJ IDEA generates the properties of the `<message-destination-ref>` element in the `web.xml` descriptor.

Item	Property generated in <code>web.xml</code>	Description
Message Destination References	<code><message-destination-ref-name></code>	In this field, specify the name of the logical message destination defined within the Web application.
		Click this button to open the Edit Message Destination Reference dialog box. <div style="border: 1px solid #ccc; padding: 5px; margin-top: 10px;">The button is available only in a selected row.</div>
Type	<code><message-destination-type></code>	Use this drop-down list to select the expected Java type of the message destination reference.
Description	<code><description></code>	In this field, provide a description of the message destination reference.
Usage	<code><message-destination-usage></code>	Use this drop-down list to specify how the Web application will process messages. The available options are: <ul style="list-style-type: none">■ Consumes■ ConsumesProduces■ Produces
Link	<code><message-destination-link></code>	In this field, specify the name of the message destination.

See Also

Procedures:

- [Java EE](#)
- [Specifying Assembly Descriptor References](#)
- [EJB](#)

Reference:

- [Web Module Editor](#)

- [EJB Editor](#)

Web Resources:

- [Developer Community](#) □