


Web Services

File | Settings | IDE Settings | Web Services



Use this dialog box to specify the default server name and port for generating URL addresses of Web services as well as the paths to installation directories of Web service engines that cannot be enabled directly via dedicated [facets](#). These settings are used for enabling support of these WS engines through the [Enable Web Services Support](#) dialog box.

Item	Description
Server name	In this text box, specify the default name of the server to be used in URL addresses. IntelliJ IDEA suggests localhost .
Server port	In this text box, specify the default port number to be used in URL addresses. IntelliJ IDEA suggests 8080 .
Prefix path for Web services URL	In this text box, specify the default prefix to be used in URL addresses of Web services. IntelliJ IDEA suggests /services .
Path to Metro/GlassFish/JAX-WS RI/JWSDP	In this text box, specify the path to the installation directory of Metro GlassFish JAX-WS RI JWSDP . Click the  button to open the Choose JAX-WS RI or GlassFish or Metro or JWSDP 2.0 Directory dialog box.
Path to Axis2	In this text box, specify the path to the installation directory of Axis2 . Click the  button to open the Choose Axis2 Directory dialog box.
Path to XFire/CXF	In this text box, specify the path to the installation directory of XFire CXF . Click the  button to open the Choose XFire or CXF Directory dialog box.
Path to JBoss	In this text box, specify the path to the installation directory of JBoss . Click the  button to open the Choose JBoss Application Server Directory with JBoss WS Installed dialog box.
Path to Xml Beans	In this text box, specify the path to the installation directory of Xml Beans . Click the  button to open the Choose Xml Beans Directory dialog box.
Path to SWDP	In this text box, specify the path to the installation directory of SWDP . Click the  button to open the Choose JAR-RS (Jersey) Directory dialog box.

Item	Description
Path to Web Sphere	In this text box, specify the path to the installation directory of Web Sphere . Click the  button to open the Choose Web Sphere Path dialog box.
Maximum VM heap size when launching tools (Mb)	In this text box, specify the default maximum heap size in Mb that will be used when a Web service is launched.

See Also

Reference:

- [Enabling Web Service Development Support](#)

Web Resources:

- [Developer Community](#)