

XPath Viewer

File | Settings | IDE Settings | XPath Viewer



This page appears if [XPath View+XSLT Support](#) plugin is enabled. In this page, configure the IntelliJ IDEA behaviour during interactive execution of *XPath* expressions.

Item	Description
Scroll first hit into visible area	Select this check box to have the editor automatically scroll to the first <i>XPath</i> match.
Use node at cursor as context node	Select this check box to have the entered <i>XPath</i> expression use the currently selected node (tag/attribute/pi, etc.) as its context node and evaluate the expression relatively to this node.
Highlight only start tag instead of whole tag content	Do one of the following: <ul style="list-style-type: none">■ Select this check box to have only the name of a matching tag highlighted.■ Clear this check box to have the entire content of a matching tag highlighted.
Add error stripe markers for each result	Select this check box to have each match supplied with an error stripe marker which can be quickly navigated to. The tooltip of each marker shows the matched content.
Show actions in Toolbar	Select this check box to have buttons that invoke <i>XPath</i> -related actions displayed on the Main Toolbar .
Show actions in Main Menu	When this check box is selected, <i>XPath</i> -related actions are available from the main menu.
Colors	In this area, configure color indication during execution of <i>XPath</i> expressions. <ul style="list-style-type: none">■ Highlight Color - in this area, select the color to indicate XPath matches in the editor.■ Context Node Color - in this area, select the color to indicate the current context node.

See Also

External Links:

- [XPath and XSLT Support](#)

Web Resources:

- [Developer Community](#)